
## DISTRUPOL



# Design, Develop & Deliver with Distrupol and Celanese

Celanese is The Chemistry Inside Innovation<sup>™</sup> and aspire to be the first-choice chemistry solution source. Boasting a broad portfolio of engineering thermoplastics and elastomers, industry-renowned brands and intellectual property, this world-class organisation and its global production assets has positioned itself as a global leader in engineering materials.

Reknowned polymer superbrands Zytel<sup>®</sup>, Hytrel<sup>®</sup>, Crastin<sup>®</sup>, Minlon<sup>®</sup> and Rynite<sup>®</sup> are now available from Celanese.

- Crastin<sup>®</sup> PBT Thermoplastic Polyester Resin
- Hytrel® TPC-ET Thermoplastic Polyester Elastomer
- Minlon<sup>®</sup> Mineral Reinforced Nylon Resin
- Rynite® PET Polyester Resin
- Zytel<sup>®</sup> Nylon Resin
- Zytel<sup>®</sup> HTN High Performance Polyamide
- Zytel<sup>®</sup> Long Chain Polyamides (LCPA)

#### 0845 200 30 40

info@distrupol.com

*Distrupol is your supply partner for Celanese engineering polymers. Contact us today to find out more.* 





Distrupol is a leading polymer distributor with over 50 years of excellence, innovation and expertise in the sales and application development of thermoplastic polymers and elastomers.

Our team of highly experienced sales people is able to meet your requirements and exceed your expectations, whilst adding value to your business. The team is supported in every market by our development engineers, who have an unrivalled knowledge of every aspect of polymer technology including design of parts and moulds, polymer selection to achieve best performance, troubleshooting and optimising the production of parts.

Our long term partnerships with world class suppliers strengthen our knowledge and give us an extensive range of high quality products to provide a material solution for every application. All of our suppliers are REACH compliant and all of the Distrupol businesses are fully accredited to ISO 9001:2008.

The Distrupol portfolio contains products and solutions that fulfil the requirements of leading and emerging industries. The range is accompanied by certifications and approvals for the automotive, medical, food and electrical industry.

Warehouses in the United Kingdom, Ireland, Sweden, Finland and the Netherlands support us to offer next day delivery across Europe. Materials are available from 25kg bags to full truckloads, octabins, big bags and bulk delivery. Whenever required, we can repack material in our warehouse into the desired packaging.

Discover the real value that Distrupol can add to your business.

Design, Develop and Deliver with Distrupol.

#### **Crastin® PBT Thermoplastic Polyester Resin**

Crastin® polybutylene terephthalate (PBT) provides exceptional dimensional stability combined with low creep, excellent electrical insulation properties and fantastic surface finishes. Through modifications, physical and technical, a vast range of grades is available for a variety of applications.

#### **Product Range** Unreinforced

Low warp

Medical

• Glass fibre reinforced (10%-50%)

Glass bead reinforced

• Tough & super tough

• Food & water approved

Flame retardant

• Laser markable

• Super fast cycling • Hydrolysis resistant

#### **Advantages**

- Stiffness
- Dimensional stability at high temperatures (130/150°C)
- Colour stability at elevated temperatures
- Creep resistance
- Good electrical insulation (up to Class F)
- High surface gloss
- Good UV resistance

#### Hytrel® TPC-ET Thermoplastic Polyester Elastomer

Hytrel® thermoplastic polyester elastomers provide the flexibility of rubbers, the strength of plastics and the processibility of thermoplastics. Hytrel® combines resilience, heat and chemical resistance with strength and durability.

#### **Product Range**

- Shore 30D 82D
- Flame retardant
- UV stabilised
- Hvdrolvsis resistance
- Food & water approved
- Medical
- Blow mouldable
- Hyrel<sup>®</sup> RS (up to 60% renewably . sourced material)

#### **Advantages**

- High impact strength at low temperatures
- Excellent fatigue resistance
- Flexible at low temperatures
- Wide range of service temperatures (-40°C-125°C)
- Good noise & vibration dampening
- No plasticizer
- Excellent oil & solvent resistance
- Easy to process

#### Minlon<sup>®</sup> Mineral Reinforced Nylon Resin

Minlon® mineral/glass-reinforced nylon resins offer properties which maintain the optimum balance of strength and rigidity, while minimising the effects of warpage. Minlon® provides excellent chemical resistance and retention of properties at high temperatures.

#### **Product Range**

- Mineral reinforced (15% -40%)
- Glass/mineral combinations
- Toughened
- Heat stabilised
- Lubricated
- Low warp
- Paintable & chrome platable

#### **Advantages**

- Easy flow
- Fast cycle times
- High impact strength
- Excellent chemical resistance
- Excellent surface finish



#### **Rynite® PET Polyester Resin**

Rynite® modified polyethylene terephthalate (PET) combines the best properties of stiffness, temperature performance and maximum dimensional stability with high gloss finish. Rynite® is formulated with a unique rapid crystallisation system and also has a 20°C heat deflection advantage over standard PBT.

#### **Product Range**

- Glass fibre reinforced (15%-55%)
- Glass & mineral combinations
- Flame retardant & nonhalogenated
- Toughened
- Lubricated
- Low warp
- High glow wire performance
- High aloss
- Rynite<sup>®</sup> SUV (Super UV)

#### **Advantages**

- Stiffness
- Dimensional stability at high
- temperatures (155°C-200°C)
- Colour stability at high temperatures
- Creep resistance
- Flame & glow wire resistance
- Good electrical insulation
- (up to Class H)
- High surface gloss UV resistance
- Easy processing

#### **Zytel® Nylon Resin**

Zytel® has been an industry leader for more than 70 years. Zytel® is one of the most versatile of nylons with a range of PA6, PA6.6 and PA6.6/6 grades. Zytel® offers high mechanical strength, stiffness and toughness, along with good electrical and flammability properties.

#### **Product Range**

- Unreinforced
- Glass fibre reinforced (15%-60%)
- Flame retardant
- Tough & super tough
- Heat stabilised
- Lubricated
- Flexible
- Food & water approved
- Medical
- Low wear
- Hydrolysis resistant
- Weather resistant
- Blow moulding
- Non-halogen flame retardant

Find us on LinkedIn

• Zytel<sup>®</sup> RS (up to 65% renewably sourced material)

#### **Advantages**

- Strength
- Toughness
- Fatigue resistance
- Creep resistance
- Chemical resistance
- Thermal resistance
- Low wear
- Easy to process
- Dimensionally stable

#### Zytel<sup>®</sup> HTN - High Performance Polyamide

Zytel® HTN High performance polyamide bridges the gap between engineering and high performance speciality polymers. Zytel® HTN is modified to withstand extreme conditions such as long term exposure to heat, chemicals and moisture.

**Advantages** 

• Stiffness

• Property retention with

• High service temperature

moisture content

(150°C-200°C)

• Creep resistance

• Chemical resistance

• Dimensionally stable

#### **Product Range**

- Glass fibre reinforced (15%-60%)
- Unreinforced • Flame retardant &
- non-halogenated Heat stabilised
- Lubricated
- Toughened
- Food approved
- Hydrolysis resistant
- Low wear & friction
- Low warp
- EF Friendly

#### Zytel<sup>®</sup> Long Chain Polyamides (LCPA)

Zytel® Long Chain Polyamides (LCPA) includes PA10.10, PA6.10 and PA6.12 produced in standard and renewably sourced (RS) options (20 - 100% renewable). Zytel® (LCPA) grades offer excellent thermal, flexible, chemical and hydrolysis resistance properties.

- Flexible
- Heat & UV stabilised
- Toughened & plasticized

#### PA6.10 & PA6.12

- Glass reinforced
- Toughened

#### PA6.12

- Food & medical
- Carbon fibre
- Toughened & plastersized

#### Advantages

- 20%-100% renewable content
- Flexible
- Tough
- Excellent chemical resistance
- Hydrolysis resistance
- Excellent thermal properties
- High stiffness & strength
- Lower permeability to fuel & gases



- **Product Range** PA10.10

## DISTRUPOL



#### Distrupol

Thames House Gogmore Lane Chertsey Surrey, KT16 9AP

T: 0845 200 30 40 E: info@distrupol.com

### Distrupol, your polymer solutions partner.

Our highly experienced sales and technical team will support you with mould design, polymer selection, testing, process optimisation and much more.

© 2022 Distrupol Limited ["Distrupol"]. All rights reserved. Distrupol, its service mark, and other identified trademarks are the property of Distrupol or affiliated companies. All other trademarks not owned by Distrupol, its service mark, and other identified trademarks are the property of Distrupol or affiliated companies. All other trademarks not owned by Distrupol, or affiliated companies, that appear in this material are the property of their respective owners. The information contained herein can be changed without notice and you should contact the manufacturer to confirm. Read and follow the relevant product label and safety data sheet [SDS] for your health. All information is based on data obtained from the manufacturer or the recognised the information. Sufficiently express, or implied, concerning the accuracy or sufficiency of the information and disclaims all implied warranties. Distrupol is not lable for any damages resulting from the use or non-use of the information and each Distrupol standard Terms and Conditions, available at distrupol.com or upon request. 144144 - 2022