59-1 SAN CHIA, JEN TE, TAINAN COUNTY, TAIWAN R.O.C. TEL: 886-6-266-5000, FAX: 886-6-266-5555~7

MEI CORPORATI

General Purpose SAN, KIBISAN[®] PN-117 March 30, 2005 V1W

Processing Conditions: it's for PN-117-L100, L200, and L250

A Pre-drying $75 \sim 80^{\circ}$ C x $3 \sim 4$ hrs

depending on a) Humidity

- b) Ratio of reground resin
- c) Storage conditions
- B. Barrel Setting Profile
 - C. Mold Temperature $40 \sim 60°C$

	depending on	a) Thi	ickness	
		b) Dimension		
	c) Gate and runner system			
D.	Injection Pressu	ıre	$50\sim70$ kg/cm ²	
	Holding Pressu	re	$40\sim60$ kg/cm ²	
	Back Pressure		$5 \sim 15 \text{ kg/cm}^2$	

NOTE :

- 1. Keep the resin from dust and contamination during handling and production.
- 2. Do not retain the hot melt at the barrel for a long time between injection cycles.
- 3. Temperature setting of manifold system should not exceed $235^{\circ}C$ to avoid melt from degrading.

For further information, please contact your local agent or fax to Chi Mei Technical Services Dept. at 886-6-2665555